



## Cable Channel Clamp KKV-200

For cable channels II-IF, III-IF, IIIa-IF, IV-IF.

- ▶ Fully mechanical grip which means it can be used at any carrier.
- ▶ Grips from the inside, so that it is extremely suitable for small spaces.
- ▶ Exchangeable rubber grippers respectively steel grippers as gripping elements.

### Standard Specifications:

- ▶ Lifting eye for crane hook.
- ▶ Automatic release for the fully automatic switch over from "full" to "empty".

Type	Gripping Range* W/ inner width min.- max. mm (in)	Gripper Length L mm (in)	Working Load Limit WLL kg (lbs)	Dead Weight kg (lbs)	Order-Number
<b>KKV-200<sup>Ⓞ</sup></b>	185 – 215 (7 <sup>1</sup> / <sub>4</sub> - 7 <sup>3</sup> / <sub>4</sub> " )	400 (15 <sup>3</sup> / <sub>4</sub> " )	500 (1,100)	50 (110)	<b>5310.0423</b>

### Accessories: Adapters KKV

Exchangeable adapter sets as gripping elements.

Steel brackets for extra large cable channels.

Adapter Set	Description	Gripping Range* W/inner width min.- max. mm (in)	Order-Number
<b>KKV-A-185/210<sup>Ⓞ</sup></b>	Steel brackets	185 – 210 (7 <sup>1</sup> / <sub>4</sub> – 8 <sup>1</sup> / <sub>4</sub> " )	<b>4310.1527</b>
<b>KKV-A-205/230<sup>Ⓞ</sup></b>	Steel brackets	205 – 230 (8 – 9" )	<b>4310.1538</b>
<b>KKV-A-220/245<sup>Ⓞ</sup></b>	Steel brackets	220 – 245 (8 <sup>1</sup> / <sub>2</sub> – 9 <sup>1</sup> / <sub>2</sub> " )	<b>4310.0828</b>
<b>KKV-A-235/260<sup>Ⓞ</sup></b>	Steel brackets	235 – 260 (9 <sup>1</sup> / <sub>4</sub> – 10 <sup>1</sup> / <sub>4</sub> " )	<b>4310.1575</b>
<b>KKV-A-255/280<sup>Ⓞ</sup></b>	Steel brackets	255 – 280 (10 – 11" )	<b>4310.0848</b>
<b>KKV-A-290/315<sup>Ⓞ</sup></b>	Steel brackets	290 – 315 (11 <sup>1</sup> / <sub>2</sub> – 12 <sup>1</sup> / <sub>2</sub> " )	<b>4310.0634</b>
<b>KKV-A-330/355<sup>Ⓞ</sup></b>	Steel brackets	330 – 355 (13 – 14" )	<b>4310.0652</b>
<b>KKV-A-355/380<sup>Ⓞ</sup></b>	Steel brackets	355 – 380 (14 – 15" )	<b>4310.1296</b>
<b>KKV-A-365/390<sup>Ⓞ</sup></b>	Steel brackets	365 – 390 (14 <sup>1</sup> / <sub>4</sub> – 15 <sup>1</sup> / <sub>4</sub> " )	<b>4310.0904</b>
<b>KKV-A-380/405<sup>Ⓞ</sup></b>	Steel brackets	380 – 405 (14 – 16" )	<b>4310.1297</b>
<b>KKV-A-390/415<sup>Ⓞ</sup></b>	Steel brackets	390 – 415 (15 <sup>1</sup> / <sub>4</sub> – 16 <sup>1</sup> / <sub>4</sub> " )	<b>4310.0696</b>
<b>KKV-A-400/425<sup>Ⓞ</sup></b>	Steel brackets	400 – 425 (15 <sup>3</sup> / <sub>4</sub> – 16 <sup>3</sup> / <sub>4</sub> " )	<b>4310.0757</b>
<b>KKV-A-410/435<sup>Ⓞ</sup></b>	Steel brackets	410 – 435 (16 <sup>1</sup> / <sub>4</sub> – 17" )	<b>4310.0653</b>
<b>KKV-A-440/465<sup>Ⓞ</sup></b>	Steel brackets	440 – 465 (17 <sup>1</sup> / <sub>4</sub> – 17 <sup>3</sup> / <sub>4</sub> " )	<b>4310.0749</b>
<b>KKV-A-470/495<sup>Ⓞ</sup></b>	Steel brackets	470 – 495 (18 <sup>1</sup> / <sub>2</sub> – 19 <sup>1</sup> / <sub>2</sub> " )	<b>4310.0625</b>
<b>KKV-A-490/515<sup>Ⓞ</sup></b>	Steel brackets	490 – 515 (19 <sup>1</sup> / <sub>4</sub> – 20 <sup>1</sup> / <sub>4</sub> " )	<b>4310.1033</b>
<b>KKV-A-520/545<sup>Ⓞ</sup></b>	Steel brackets	520 – 545 (20 <sup>1</sup> / <sub>2</sub> – 21 <sup>1</sup> / <sub>2</sub> " )	<b>4310.0646</b>
<b>KKV-A-540/565<sup>Ⓞ</sup></b>	Steel brackets	540 – 565 (21 <sup>1</sup> / <sub>4</sub> – 22 <sup>1</sup> / <sub>4</sub> " )	<b>4310.0654</b>
<b>KKV-A-575/600<sup>Ⓞ</sup></b>	Steel brackets	575 – 600 (22 <sup>1</sup> / <sub>2</sub> – 23 <sup>1</sup> / <sub>2</sub> " )	<b>4310.0633</b>
<b>KKV-A-590/615<sup>Ⓞ</sup></b>	Steel brackets	590 – 615 (23 <sup>1</sup> / <sub>4</sub> – 24 <sup>1</sup> / <sub>4</sub> " )	<b>4310.1274</b>
<b>KKV-A-610/635<sup>Ⓞ</sup></b>	Steel brackets	610 – 635 (24 – 25" )	<b>4310.1381</b>
<b>KKV-A-625/650<sup>Ⓞ</sup></b>	Steel brackets	625 – 650 (24 – 25 <sup>1</sup> / <sub>2</sub> " )	<b>4310.1247</b>
<b>KKV-A-660/685<sup>Ⓞ</sup></b>	Steel brackets	660 – 685 (26 – 27" )	<b>4310.0655</b>
<b>KKV-A-750/775<sup>Ⓞ</sup></b>	Steel brackets	750 – 775 (29 <sup>1</sup> / <sub>2</sub> – 30 <sup>1</sup> / <sub>2</sub> " )	<b>4310.0661</b>

\*Gripping range indicates the minimum and maximum pack measurements of building materials, which can be picked-up with this grab.

<sup>Ⓞ</sup> Durable surface protection by galvanizing