BATTERY PACKS LINE

power and innovation



45 kVA output power **7h run time**





Designed to provide an exceptional level of performance for every work on site ensuring the right balance between power and ease of use





more sustainable and environmentally friendly future



MGTP 45000/75 BP





APPLICATIONS





FEATURES

- 5" Touch monitoring display controller
- Communication-centre device
- 🕺 4G/GPS Antenna + Modem
- Remote telemetry & management
- Auto recharge of the batteries from external generator
- 🕺 Automatic peak shaving mode
- Sides forklift pockets & Central lifting hook
- Lockable control panel
- Main circuit breaker & Earth leakage relay
- Emergency Stop button

battery technology

BATTERY PACKS LINE

Operation

Code	BP379-45TS1
Dimensions	
L x W x H (mm)	1960x1350x1520
Weight (Kg)	1590
Technical Data	
Continuous power (VA)	45000
Overload 0,5s(W)	75000
Battery pack capacity (Wh)	77824
Capacity available DOD 80% (Wh)	62259
Voltage (V)	230/400
Frequency (Hz)	50
Inverter	
Nominal power (VA)	15000
Q.ty	3
System voltage (V)	48
Max charging current (A)	200
Batteries	
Туре	LiFeP04
Q.ty	10
Nominal Voltage (V)	25,6
Nominal Capacity (Ah)	304
Cycle Life DOD 80%	>4000
Distribution panel	
Inlet Plug	1x 63A-400V
Outlet Sockets	1x 63A-400V
	1x 32A-400V
	1x 16A-230V
Auto start connection cable	Standard
Performances	
Running time (h) 25% load	7,0
Running time (h) 50% load	3,5
Running time (h) 75% load	2,0
Recharge time (h)	3
Recommended generator size (kVA)	55
Available optionals	
MC4 connectors + MPPT solar charger for	r external solar panels
Mat heating system for batteries to work	in cold ambients

1x 125A-400V Inlet & Outlet





Sales Dept. +39 0382 406 252 - www.trime.it - info@trime.it